


# **NCT OFFSHORE**

Nymarksgyden 58 5474 Veflinge Denmark CVR-NO 37474592

# IMT 975 S-Class CLV/ROV Support (DP II)

Build Yard >Balenciaga, Spain








# **NCT OFFSHORE**

# IMT 975 S-Class CLV/ROV Support (DP II)

ACTIVITY	CONSUMPTION
Transit speed (subject to weather, Sea and Swell)	Approx 9,0 – 10,0 Tonnes / Day
Econ @ approx 8 Knots	Approx 6 Tonnes / Day
Port	Approx 1,5 Tonnes / Day
DP	Approx 6.5 Tonnes / Day
Offshore Standby (on Fwd Az), subject to deck activities	Approx 2,3 Tonnes / Day

DP Capability plot 100 % availability



#### **DIMENSIONS**

LOA	75.00 metres
LBP	64.8 metres
Breadth Moulded	16.00 metres
Draft Loaded / Depth	5.75 metres

#### **TONNAGE**

GRT	2786 Tonnes
NRT	836 Tonnes
DWT	2141 Tonnes

#### **CAPACITIES AND CRANES**

Fuel Oil (MGO) / Conection	520 m <sup>3</sup>
Fresh Water / Connection	1022.0 m <sup>3</sup>
Ballast Water	1497 m <sup>3</sup>
Oil Based Mud(s)	N/A
Base Oil	N/A
Brine(s)	N/A
Dry Bulk(s) / Connection	N/A
Deck Area	Approx 640 m <sup>2</sup> (Inc Mezz & Workshop)
Deck Loading	5 Tonnes per m <sup>2</sup> & 7 Tonnes per m <sup>2</sup> (aft)
Deck Crane # 1	Hydralift 1.5t @ 11 metres
Deck Crane # 2	TTS Norlift 20t @ 20 mtrs / 2000 mtrs w/d
Crane # 3	N/A
Winch	Deck mountable for special ops
Wire Reel	N/A
Deck Tuggers	2 x 7 Tonnes
Endurance	42 days

#### **ENGINES / THRUSTERS / AUX**

Main Engine(s)	4 x MAK 6M25 @ 2322 BHP per unit
Proppeller(s)	2 x Contra Rotating Azimuths
Azimuth Thruster(s)	1 x RRM Azimuth @ 1200 BHP
Bow Thruster(s)	2 x RRM Tunnel @ 1042 BHP
Rudder Systems / Type	N/A
Aux Engines	N/A
Shaft PTOs	N/A
<b>Emergency Generators</b>	1 x Cat Emer Genset

### **CONTROL SYSTEMS AND DYNAMIC POSITIONNING**

Control Positions	Fwd & Aft consoles
Full Manual Control	Fwd & Aft consoles
Integrated Joystick Control	Joystick
Joystick Control	Aft & wander lead
Dynamic Positioning System	Navis
Vertical Taut Wire	Optional
DGPS # 1	Fitted
DGPS # 2	Fitted
Hydro Acoustic Pos Ref # 1	Simrad HIPAP 500 L-USBL with
•	Slave Display (in Survey Room)
Fan Beam Laser	MDL Fanbeam

# MOONPOOL

Moonpool #1 (available)	1200 X 1200 mm
Moon-tube #2 (available)	Ø500 Moon-tube for equipment Launch Fitted
Moon-tube #3	Ø500 HIPAP installed
Moonpool #4 (available)	3580 X 3580 mm

## **RESCUE AND VESSEL EQUIPMENT**

MOB Craft Davit # 1	MOB Davit System
MOB Craft	MOB Boat (Petrol)
Cargo Railing	Removable Cargo Railing Fitted
Survey Rooms	Fully outfitted Survey Room(s) Fitted
Fast Rescue Craft x 1	Option
Dacon Scoop	N/A
Dacon Rescue Crane	N/A
Cosalt Rescue Basket	N/A
Jason Cradles Frames	N/A
Winch Area	Forward
Emer. Towing Capability	Forward
Dispersant Tanks	N/A
Dispersant Spray Booms	N/A
Searchlights	2 x Searchlight Fitted
Electrical power supply	Deck 440V / 60Hz / 1250A
	Survey power room 440V / 60Hz / 250A
	Disp 440V / 60Hz / 125A

## **NAVIGATION AND COMMUNICATION EQUIPMENT**

Radar s (Fwd)	2 x Furuno ARPA
Radar (Aft)	Furuno
ECDIS	Fitted
PLB System	N/A
DGPS(s)	Furuno GP170, Sailor 6004
Gyro(s)	3 x Anschutz S20 Gyro
Autopilot	Fitted
Magnetic Comp	1x Magnetic Compass
Echo Sounder	Fitted
Digital Depth Recorder	Fitted
Navtex	Furuno NX 500
Sat Comms Full Sat Comms (A3), Sa	at C, KU & 2 x Iridium Sat-phone
MF/HF Radio	Fitted
UHF	Fitted
VHF (Fwd)	Fitted
VHF (Aft)	Fitted
Helo Radio	N/A
AIS	Jotrun AIS
VHF Direction Finder	Fitted
Doppler Log	Fitted
SSAS	Trane & Trane
Portable VHF	Fitted
UHF Base	Fitted
Portable UHF	Fitted
Sonic Helmets	N/A
Smartpatch Phone	N/A

# **CREW FACILITIES**

Crew Cabins	49 Man Single & Double Berth cabins,
	(21 x Single Berth, 14 x Double Berth)
	c/w en suite facilities
Recreation & Leisure	1 Messroom, 1 Lounges, Sat TV, Sauna & Gym
2	v Shin's Office 2 v Client's Office 2 v Sur Poom